



SPORT BEARINGS




**ISB SPORT
CYCLING BEARINGS**



ISB SPORT BEARINGS

YOUR SPECIALIZED CONSOLIDATED PARTNER



ISB SPORT BEARINGS SERIES

ENGINEERING AT THE SERVICE OF SPORTS

We design and manufacture our bearings to optimize and guarantee its performance in each application. Sport lives on challenges, details, limits, efforts, commitment. At ISB Sport we share these values and we strongly believe that improving the performances of every single component of a vehicle is the only way to make progress.

We've designed 3 different sport bearings series defined by 6 performance characteristics:

- Maintenance
- Rolling performance
- Versatility
- Resistance
- Protection
- Resilience



ENDURANCE BEARING SERIES

Application

Wheel hub
Bottom bracket
Suspension pivot
Headset
eBike motor
Pulley wheel

Type of bearing


Steel bearings
Vmax bearings (specific for suspension pivot)

Suggested use

Regular / Training



Based on performance, versatility and resistance



PRO BEARING SERIES

for high performances

Application

Wheel hub
Bottom bracket
Pulley wheel

Type of bearing


Ceramic bearings
Hybrid ceramic bearings

Suggested use

Training / Race



Designed to be multi-purpose and race-ready



XFORCE BEARING SERIES

for race challenges

Application

Wheel hub
Bottom bracket

Type of bearing


Steel bearings
Hybrid ceramic bearings
***Advanced structure!**

Suggested use

Race



High tech advanced range for Top competition







WHEEL HUB & BOTTOM BRACKET BEARINGS

 **ENDURANCE
BEARINGS SERIES**

 **PRO BEARINGS SERIES
FOR HIGH PERFORMANCES**

 **XFORCE BEARINGS SERIES
FOR RACE CHALLENGES**





**WHEEL HUB
& BOTTOM BRACKET BEARINGS**



**ENDURANCE
BEARINGS SERIES**



**WHEEL HUB
AND BOTTOM BRACKET**



**ENDURANCE
BEARINGS SERIES**



Steel bearings
Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
686 2RS ISB Sport	6	13	5
R4 2RS ISB Sport	6,350	15,857	4,978
SS R4 2RS ISB Sport	6,350	15,785	4,978
688 2RS ISB Sport	8	16	5
618/8 2RS ISB Sport	8	16	5
698 2RS ISB Sport	8	19	6
608 QG 2RS ISB Sport	8	22	7
SS 608 2RS ISB Sport	8	22	7
689 2RS ISB Sport	9	17	5
MR 2297 2RSV ISB Sport	9	22	7
609 QG 2RS ISB Sport	9	24	7
R6 2RS ISB Sport	9,525	22,225	7,143
SS R6 2RS ISB Sport	9,525	22,225	7,143
6700 2RS ISB Sport	10	15	3
SS 6700 2RS ISB Sport	10	15	3
6800 RS/RZ ISB Sport	10	19	5
SS 6800 2RS ISB Sport	10	19	5
3800 2RSV ISB Sport	10	19	8
6900 RS/RZ ISB Sport	10	22	6
SS 6900 2RS ISB Sport	10	22	6
6000 QG 2RS ISB Sport	10	26	8
16100 ZZ ISB Sport	10	28	8



WHEEL HUB AND BOTTOM BRACKET



ENDURANCE BEARINGS SERIES



Steel bearings Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
6200 QG 2RS ISB Sport	10	30	9
6701 2RS ISB Sport	12	18	4
SS 6701 2RS ISB Sport	12	18	4
MR 1218 ZZ ISB Sport	12	18	5
6801 RS/RZ ISB Sport	12	21	5
SS 6801 2RS ISB Sport	12	21	5
63801 2RS ISB Sport	12	21	7
3801 2RSV ISB Sport	12	21	8
6901 RS/RZ ISB Sport	12	24	6
SS 6901 2RS ISB Sport	12	24	6
MR 12268 2RS ISB Sport	12	26	8
6001 2RS QG ISB Sport	12	28	8
6201 QG 2RS ISB Sport	12	32	10
6201-10 2RS ISB Sport	12	32	10
SS R8 ZZ ISB Sport	12,700	28,570	7,938
R8 2RS ISB Sport	12,700	28,575	7,938
SS R8 2RS ISB Sport	12,700	28,575	7,938
MR 13215 2RS ISB Sport	13	21	5
MR 6802/14 2RS ISB Sport	14	24	5
6702 2RS ISB Sport	15	21	4
SS 6702 2RS ISB Sport	15	21	4
6802 RS/RZ ISB Sport	15	24	5



**WHEEL HUB
AND BOTTOM BRACKET**



**ENDURANCE
BEARINGS SERIES**



Steel bearings
Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
SS 6802 2RS ISB Sport	15	24	5
MR 15267 2RS ISB Sport	15	26	7
MR 15268 2RS ISB Sport	15	26	8
DR 152610 2RSV ISB Sport	15	26	10
6902 RS/RZ ISB Sport	15	28	7
SS 6902 2RS ISB Sport	15	28	7
MR 15307 2RS ISB Sport	15	30	7
6002 QG 2RS ISB Sport	15	32	9
6202 QG 2RS ISB Sport	15	35	11
MR 16277 2RS ISB Sport	16	27	7
MR 16287 2RS ISB Sport	16	28	7
MR 163110 2RS ISB Sport	16	31	10
6703 2RS ISB Sport	17	23	4
SS 6703 2RS ISB Sport	17	23	4
6803 RS/RZ ISB Sport	17	26	5
SS 6803 2RS ISB Sport	17	26	5
63803 2RS ISB Sport	17	26	7
DRA 3803 2RSV ISB Sport	17	26	10
MR 17287 2RSV CS ISB Sport	17	28	7
6903 RS/RZ ISB Sport	17	30	7
SS 6903 2RS ISB Sport	17	30	7
3903 2RSV ISB Sport	17	30	10





WHEEL HUB AND BOTTOM BRACKET



ENDURANCE BEARINGS SERIES



Steel bearings Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
173110 2RSV ISB Sport	17	31	10
6003 QG 2RS ISB Sport	17	35	10
MR 18287 2RS ISB Sport	18	28	7
MR 18307 2RS ISB Sport	18	30	7
R10 2RS ISB Sport	18,875	34,925	8,730
MR 19285 2RS ISB Sport	19	28	5
MR 6804/19 2RS ISB Sport	19	32	7
MR 190537 2RS ISB Sport	19,05	37	9
R12 2RS ISB Sport	19,05	41,28	11,11
6704 2RS ISB Sport	20	27	4
SS 6704 2RS ISB Sport	20	27	4
MR 2030 2RS V ISB Sport	20	30	7
DR 203013 2RS ISB Sport	20	30	13
6804 RS/RZ ISB Sport	20	32	7
SS 6804 2RS ISB Sport	20	32	7
6904 2RS ISB Sport	20	37	9
6004 QG 2RS ISB Sport	20	42	12
SS MR 22317 2RSV ISB Sport	22	31	7
60/22 2RS ISB Sport	22	44	12
MR 222378 2RS ISB Sport	22,2	37	8/11.5
MRE 22237 2RS ISB Sport	22,2	37	8/11.5
MR 23327 2RSV ISB Sport	23	32	7



**WHEEL HUB
AND BOTTOM BRACKET**



**ENDURANCE
BEARINGS SERIES**



Steel bearings
Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
MR 2437 2RS ISB Sport	24	37	7
SS MR 2437 2RS ISB Sport	24	37	7
MR 24378 2RSV ISB Sport	24	37	8
6705 2RS ISB Sport	25	32	4
SS 6705 2RS ISB Sport	25	32	4
BO 6805N 2RS ISB Sport	25	37	6
6805 RS/RZ ISB Sport	25	37	7
SS 6805 2RS ISB Sport	25	37	7
7805 2RSV ISB Sport	25	37	7
6905 2RS ISB Sport	25	42	9
MR 27537 2RSV ISB Sport	27,5	37	7
MRF 6806/29 2RSV PACK2 ISB Sport	28,9	41/44	11,2
SS MR 6806/29 2RS ISB Sport	29	42	7
6706 2RS ISB Sport	30	37	4
SS 6706 2RS ISB Sport	30	37	4
MR 30406 2RS ISB Sport	30	40	6
MR 3040H7 2RS DUB ISB Sport	30	40	7
MRF 6806 2RSV ISB Sport	30	41/44	11,2
6806 RS/RZ ISB Sport	30	42	7



**WHEEL HUB
AND BOTTOM BRACKET**



**ENDURANCE
BEARINGS SERIES**



Steel bearings
Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
SS 6806 2RS ISB Sport	30	42	7
6906 2RS ISB Sport	30	47	9
MR 31437 2RSV ISB Sport	31	43	7
MR 314357 2RSV ISB Sport	31	43,5	7
6707 2RS ISB Sport	35	44	5
SS 6707 2RS ISB Sport	35	44	5
6807 2RS ISB Sport	35	47	7
SS 6807 2RS ISB Sport	35	47	7
6708 2RS ISB Sport	40	50	6
SS 6708 2RS ISB Sport	40	50	6
6808 2RS ISB Sport	40	52	7
6709 2RS ISB Sport	45	55	6
SS 6709 2RS ISB Sport	45	55	6
6809 2RS ISB Sport	45	58	7
6909 2RS ISB Sport	45	68	12
6710 2RS ISB Sport	50	62	6
SS 6710 2RS ISB Sport	50	62	6
6810 2RS ISB Sport	50	65	7





**WHEEL HUB
& BOTTOM BRACKET BEARINGS**



**PRO BEARINGS SERIES
for High performances**



**WHEEL HUB
AND BOTTOM BRACKET**



**PRO BEARINGS SERIES
FOR HIGH PERFORMANCES**



**Hybrid Ceramic bearings
Chrome Steel & Ceramic balls**

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
CB MR 17287 2RSV ISB Sport	17	28	7
CB MRE 22237 2RS ISB Sport	22,2	37	8/11.5
CB MR 2437 2RS ISB Sport	24	37	7
CB MR 2437H8 2RSV ISB Sport	24	37	8
CB MR 3040H7 2RS ISB Sport	30	40	7
CB MR 31437 2RSV ISB Sport	31	43	7



**WHEEL HUB
AND BOTTOM BRACKET**



**PRO BEARINGS SERIES
FOR HIGH PERFORMANCES**



**Full Ceramic
100% ceramic**

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
FC1 6802 RS ISB Sport	15	24	5
FC1 6803 RS ISB Sport	17	26	5
FC1 6803 2RS ISB Sport	17	26	5
FC1 6806 RS ISB Sport	30	42	7





**WHEEL HUB
AND BOTTOM BRACKET**



**PRO BEARINGS SERIES
FOR HIGH PERFORMANCES**



**Hybrid Ceramic bearings
Stainless Steel & Ceramic balls**

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
SC 608 2RS ISB Sport	8	22	7
SC 699 2RS ISB Sport	9	20	6
SC 6800 2RS ISB Sport	10	19	5
SC 6900 2RS ISB Sport	10	22	6
SC 6000 2RS ISB Sport	10	26	8
SC 6200 2RS ISB Sport	10	30	9
SC MR 6201/10 2RS ISB Sport	10	32	10
SC 6801 2RS ISB Sport	12	21	5
SC 6901 2RS ISB Sport	12	24	6
SC 6001 2RS ISB Sport	12	28	8
SC 6001 2RS HSP ISB Sport	12	28	8
SC 6802 2RS ISB Sport	15	24	5
SC 6802 2RS HSP ISB Sport	15	24	5
SC MR 15267 2RSV ISB Sport	15	26	7
SC 6902 2RS ISB Sport	15	28	7
SC 6202 2RS ISB Sport	15	35	11
SC 6803 2RS ISB Sport	17	26	5
SC 6903 2RS ISB Sport	17	30	7
SC MR 18307 2RSV ISB Sport	18	30	7
SC 6804 2RS ISB Sport	20	32	7
SC 6904 2RS ISB Sport	20	37	9
SC 6805N 2RS ISB Sport	25	37	6
SC 6805 2RS ISB Sport	25	37	7
SC 6806 2RS ISB Sport	30	42	7





**WHEEL HUB
& BOTTOM BRACKET BEARINGS**



XFORCE BEARINGS SERIES
for Race challenges



**WHEEL HUB
AND BOTTOM BRACKET**



**XFORCE BEARINGS SERIES
FOR RACE CHALLENGES**



**Steel bearings
Chrome Steel & Stainless Steel (SS)**



Advanced structure

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
6800 RS/RZ XF ISB Sport	10	19	5
6900 RS/RZ XF ISB Sport	10	22	6
6801 RS/RZ XF ISB Sport	12	21	5
6901 RS/RZ XF ISB Sport	12	24	6
R8 2RS XF ISB Sport	12,700	28,575	7,938
6001 2RS HSP XF ISB Sport	12	28	8
6802 RS/RZ XF ISB Sport	15	24	5
MR 15267 2RS XF ISB Sport	15	26	7
6902 RS/RZ XF ISB Sport	15	28	7
6803 RS/RZ XF ISB Sport	17	26	5
MR 17287 2RSV CS XF ISB Sport	17	28	7
6903 RS/RZ XF ISB Sport	17	30	7
6804 RS/RZ XF ISB Sport	20	32	7
60/22 2RS XF ISB Sport	22	44	12
MR 2437 2RS XF ISB Sport	24	37	7
6805 RS/RZ XF ISB Sport	25	37	7
6005 QG 2RS XF ISB Sport	25	47	12
6005 2RS HSP XF ISB Sport	25	47	12
MRF 6806/29 2RSV XF PACK2 ISB Sport	28,9	41/44	11,2
MRF 6806 2RSV XF ISB Sport	30	41/44	11,2
6806 RS/RZ XF ISB Sport	30	42	7
SS 6806 2RS XF ISB Sport	30	42	7
6906 2RS HSP XF ISB Sport	30	47	9
6808 2RS XF ISB Sport	40	52	7
6809 2RS XF ISB Sport	45	58	7
6909 2RS XF ISB Sport	45	68	12
6909 2RS XF ISB Sport	45	68	12





**WHEEL HUB
AND BOTTOM BRACKET**



**XFORCE BEARINGS SERIES
FOR RACE CHALLENGES**



**Hybrid Ceramic bearings
Stainless Steel & Ceramic balls**



Advanced structure

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
SC 608 2RS XF ISB Sport	8	22	7
SC 6800 2RS XF ISB Sport	10	19	5
SC 6900 2RS XF ISB Sport	10	22	6
SC 6000 2RS XF ISB Sport	10	26	8
SC 6200 2RS XF ISB Sport	10	30	9
SC MR 6201/10 2RS XF ISB Sport	10	32	10
SC 6801 2RS XF ISB Sport	12	21	5
SC 6901 2RS XF ISB Sport	12	24	6
SC 6001 2RS XF ISB Sport	12	28	8
SC 6001 2RS HSP XF ISB Sport	12	28	8
SC 6802 2RS XF ISB Sport	15	24	5
SC 6802 2RS HSP XF ISB Sport	15	24	5
SC 6902 2RS XF ISB Sport	15	28	7
SC 6202 2RS XF ISB Sport	15	35	11
SC 6803 2RS XF ISB Sport	17	26	5
SC 6903 2RS XF ISB Sport	17	30	7
SC MR 18307 2RSV XF ISB Sport	18	30	7
SC 6804 2RS XF ISB Sport	20	32	7
SC 6904 2RS XF ISB Sport	20	37	9
SC 6805N 2RS XF ISB Sport	25	37	6
SC 6805 2RS XF ISB Sport	25	37	7
SC 6806 2RS XF ISB Sport	30	42	7





**SUSPENSION
PIVOT BEARINGS**

 **ENDURANCE
BEARINGS SERIES**



ISB 6805-2RSV MAX
25X3X7

ISB 17206-2RSV MAX
17X28X6

ISB 6902-2RSV MAX
15x28x7 mm





**SUSPENSION
PIVOT BEARINGS**



**ENDURANCE
BEARINGS SERIES**



**SUSPENSION
PIVOT**



**ENDURANCE
BEARINGS SERIES**



VMax bearings
Non caged, Full ball structure

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
KP5A VMAX ISB Sport	7,938	20,638	5,940
688 2RS VMAX ISB Sport	8	16	5
688E 2RS VMAX ISB Sport	8	16	5/6.5
698 2RS VMAX ISB Sport	8	19	6
619/8E 2RS VMAX ISB Sport	8	19	6/7,5
DRE 398 2RS VMAX ISB Sport	8	19	10/11
608 2RS VMAX ISB Sport	8	22	7
699 2RS VMAX ISB Sport	9	20	6
KP6A VMAX ISB Sport	9,525	22,225	6,350
6800 2RS VMAX ISB Sport	10	19	5
63800 2RS VMAX ISB Sport	10	19	7
6900 2RS VMAX ISB Sport	10	22	6
7900 2RS VMAX ISB Sport	10	22	6
6000 2RS VMAX ISB Sport	10	26	8
6801 2RS VMAX ISB Sport	12	21	5
63801 2RS ISB Sport	12	21	7
DRA 3801 2RS VMAX ISB Sport	12	21	8





**SUSPENSION
PIVOT**



**ENDURANCE
BEARINGS SERIES**




VMax bearings
Non caged, Full ball structure

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
6901 2RS VMAX ISB Sport	12	24	6
7901 2RS VMAX ISB Sport	12	24	6
6001 2RS VMAX ISB Sport	12	28	8
6802 2RS VMAX ISB Sport	15	24	5
DRA 3802 2RS VMAX ISB Sport	15	24	7
63802 2RS VMAX ISB Sport	15	24	7
6902 2RS VMAX ISB Sport	15	28	7
7902 2RS VMAX ISB Sport	15	28	7
6902 2RS VMAX E ISB Sport	15	28	7/10
6803 2RS VMAX ISB Sport	17	26	5
63803 2RS VMAX ISB Sport	17	26	7
DRA 3803 2RS VMAX ISB Sport	17	26	10
MR 17286 2RS VMAX ISB Sport	17	28	6
MR 17287 2RS VMAX ISB Sport	17	28	7
BO DR 17289 2RS MAX ISB Sport	17	28	9
6903 2RS VMAX ISB Sport	17	30	7
6903 2RS VMAX E ISB Sport	17	30	7/10
B539DD VMAX ISB Sport	19,05	30	7
MR 2030 2RS VMAX ISB Sport	20	30	7
6804 2RS VMAX ISB Sport	20	32	7
6904 2RS VMAX ISB Sport	20	37	9
MR 215317 2RS VMAX ISB Sport	21,5	31	7
DR 21531 2RS VMAX ISB Sport	21,5	31	14
6805 2RS VMAX ISB Sport	25	37	7
BO 27537 2RS VMAX ISB Sport	27,5	37	7
6806 2RS VMAX ISB Sport	30	42	7
6808 2RS VMAX ISB Sport	40	52	7
6809 2RS VMAX ISB Sport	45	58	7





**HEADSET
BEARINGS**

 **ENDURANCE
BEARINGS SERIES**





**HEADSET
BEARINGS**



**ENDURANCE
BEARINGS SERIES**



HEADSET



ENDURANCE BEARINGS SERIES



Steel bearings Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width	° Grades
HS2 MH-P09H6.3 2RS ISB Sport	27,15	38	6,3	45°/45°
HS1 MH-P09K 2RS ISB Sport	27,15	38	6,5	36°/45°
HS1 3042H7K 2RS ISB Sport	30,05	42	7	36°/45°
HS2 MH-P04 2RS ISB Sport	30,15	39	6,5	45°/45°
HS2 MH-P03 2RS ISB Sport	30,15	41	6,5	45°/45°
HS1 MH-P03K 2RS ISB Sport	30,15	41	6,5	36°/45°
HS5 MR 345 2RS ISB Sport	30,15	41	6,5	90°/90°
HS2 MH-P03H7 RS ISB Sport	30,15	41	7	45°/45°
HS3 D30417 RS ISB Sport	30,15	41	7,1/6,5	45°/90°
HS1 MH-P03H7,7K RS ISB Sport	30,15	41	7,7	36°/45°
HS4 MR0473 2RS ISB Sport	30,15	41,5	6,5	36°/36°
HS2 MH-P08 2RS ISB Sport	30,15	41,8	6,5	45°/45°
HS5 MR 845 2RS ISB Sport	30,15	41,8	6,5	90°/90°
HS1 MH-P08H7K RS ISB Sport	30,15	41,8	7	36°/45°
HS2 30418H7 RS ISB Sport	30,15	41,8	7	45°/45°
HS2 MH-P08H7A RS ISB Sport	30,5	41,8	7	45°/45°
HS2 MH-P08H7,7 RS ISB Sport	30,5	41,8	7,7	45°/45°
HS1 MH-P08H8K RS ISB Sport	30,5	41,8	8	36°/45°
HS2 MH-P08F RS ISB Sport	30,5	41,8	8	45°/45°
HS2 MH-P08H8 RS ISB Sport	30,5	41,8	8	45°/45°
HS2 32438 2RS ISB Sport	32,4	43,8	7	45°/45°
HS2 MR136 2RS ISB Sport	32,8	41,8	6	45°/45°
HS1 3344H6 2RS ISB Sport	33	44	6	36°/45°
HS5 MR 438 ISB Sport	33,05	43,8	7	90°/90°
HS2 460H7 2RS ISB Sport	34,1	46	7	45°/45°
HS2 MH-P17 2RS ISB Sport	34,1	46,8	7	45°/45°
HS2 MH-P22 2RS ISB Sport	34,1	46,9	7	45°/45°
HS1 3544H5,5 2RS ISB Sport	35	44	5,5	36°/45°
HS2 453H7,3 RS ISB Sport	35	45,3	7,3	45°/45°





HEADSET



ENDURANCE BEARINGS SERIES



Steel bearings Chrome Steel & Stainless Steel (SS)

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width	° Grades
HS1 3547H7 2RS ISB Sport	35	47	7	36°/45°
HS2 3547H8 RS ISB Sport	35	47	8	45°/45°
HS2 458 2RS ISB Sport	36,8	45,8	6,5	45°/45°
HS2 MR 137 2RS ISB Sport	37	46,9	7	45°/45°
HS3 3748H7 2RS ISB Sport	37	48	7	45°/90°
HS1 3749H6,5 2RS ISB Sport	37	49	6,5	36°/45°
HS2 MH-P21 ISB Sport	37	49	7	45°/45°
HS5 B543 2RS VMAX ISB Sport	39,7	50,8	7,14	90°/90°
HS2 51H6,5 2RS ISB Sport	40	51	6,5	45°/45°
HS2 51H7 2RS ISB Sport	40	51	7	45°/45°
HS2 515H7 2RS ISB Sport	40	51,5	7	45°/45°
HS1 518K RS ISB Sport	40	51,8	8	36°/45°
HS2 518H8 RS ISB Sport	40	51,8	8	45°/45°
HS5 MR 518H8 2RS ISB Sport	40	51,8	8	90°/90°
HS2 519H7 2RS ISB Sport	40	51,9	7	45°/45°
HS2 519H8 RS ISB Sport	40	51,9	8	45°/45°
HS1 4052H6.5 2RS ISB Sport	40	52	6,5	36°/45°
HS2 MH-P25 2RS ISB Sport	40	52	6,5	45°/45°
HS5 MR 4052H6.5 2RS ISB Sport	40	52	6,5	90°/90°
HS1 MH-P16K 2RS ISB Sport	40	52	7	36°/45°
HS2 MH-P16 2RS ISB Sport	40	52	7	45°/45°
HS5 MR 4052H7 2RS ISB Sport	40	52	7	90°/90°
HS2 MH-P16H7.5 ISB Sport	40	52	7,5	45°/45°
HS2 MH-P16H8 2RS ISB Sport	40	52	8	45°/45°
HS2 T808 ISB Sport	40	52	12	45°/45°
HS2 SS 537 2RS ISB Sport	40	53	7	45°/45°
HS2 495H6,5 2RS ISB Sport	40,5	49,5	6,5	45°/45°
HS2 4252H7 2RS ISB Sport	42	52	7	45°/45°
HS1 619H8K ISB Sport	50	61,9	8	36°/45°





**eBIKE MOTOR
BEARINGS & COMPONENTS**

 **ENDURANCE
BEARINGS SERIES**





eBIKE MOTOR
BEARINGS & COMPONENTS



ENDURANCE
BEARINGS SERIES



eBIKE MOTOR



**COMPONENTS
Free Wheels**

ISB SPORT COMPONENTS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
Free wheel HFL 1226 ISB Sport	12	18	26
Free wheel HF 2016 ISB Sport	20	26	16
Free wheel E32-11 / 30KK ISB Sport	32	40	11
Free wheel HFL 3530 ISB Sport	35	42	30
Free wheel E35-11 / 30KK ISB Sport	35	43	11
Free wheel E40-11 / 30KK ISB Sport	40	48	11



eBIKE MOTOR



**COMPONENTS
Needle bearings**

ISB SPORT COMPONENTS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
HK 1416 2RS ISB Sport	14	20	16
HK 2216 ISB Sport	22	28	16
HK 243016 2RS ISB Sport	24	30	16





eBIKE MOTOR



**ENDURANCE
BEARINGS SERIES**



**Steel bearings
Chrome Steel & Stainless Steel (SS)**

ISB SPORT BEARINGS

DIMENSIONS (mm)

Reference	Inner	Outer	Width
625 QG ZZ ISB Sport	5	16	5
618/8 ZZ ISB Sport	8	16	5
688 2RS ISB Sport	8	16	5
608 QG 2RS ISB Sport	8	22	7
608 QG ZZ ISB Sport	8	22	7
30/8 2RS ISB Sport	8	22	11
6900 2RS ISB Sport	10	22	6
6000 QG 2RS ISB Sport	10	26	8
6000 QG ZZ ISB Sport	10	26	8
6201 QG 2RS ISB Sport	12	32	10
6201 QG ZZ ISB Sport	12	32	10
6803 ZZ ISB Sport	17	26	5
6903 ZZ ISB Sport	17	30	7
6003 LLU NR ISB Sport	17	35	30
MR 18307 2RS ISB Sport	18	30	7
18338 RS/Z ISB Sport	18	33	8
MR 6904/21,5 2RSV ISB Sport	21,5	37	9
MR 6004/21,5 2RSV ISB Sport	21,5	42	12
6805 2RS ISB Sport	25	37	7
SS 6805 2RS ISB Sport	25	37	7
6805 ZZ ISB Sport	25	37	7
6906 2RS ISB Sport	30	47	9
6906 LLB NR ISB Sport	30	47	9
6807 D34 LLU ISB Sport	34	47	7
6807 2RS ISB Sport	35	47	7
6808 2RS ISB Sport	40	52	7
6809 2RS ISB Sport	45	58	7
6811 ZZ ISB Sport	55	72	9





PULLEY WHEEL BEARINGS

 ***ENDURANCE
BEARINGS SERIES***

 ***PRO BEARINGS SERIES
FOR HIGH PERFORMANCES***





***PULLEY WHEEL
BEARINGS***



***ENDURANCE
BEARINGS SERIES***



***PRO BEARINGS SERIES
for High performances***



PULLEY WHEEL



**ENDURANCE
BEARINGS SERIES**



Steel bearings

ISB SPORT BEARINGS

Reference	Inner	Outer	Width
626 QG 2RS ISB Sport	6	19	6





PULLEY WHEEL



PRO BEARINGS SERIES FOR HIGH PERFORMANCES



Hybrid Ceramic bearings Stainless Steel & Ceramic balls

ISB SPORT BEARINGS

Reference	Inner	Outer	Width
SC 626 2RS HSP ISB Sport	6	19	6



PULLEY WHEEL



PRO BEARINGS SERIES FOR HIGH PERFORMANCES



Full Ceramic 100% ceramic

ISB SPORT BEARINGS

Reference	Inner	Outer	Width
FC1 626 2RS ISB Sport	6	19	6



EN VERSION - 05.23



www.isbsport.com